INSTRUMENT PRACTICE

INDEX TO VOL. 24, 1970

INSTRUMENT PRACTICE

INDEX TO VOL. 24, 1970

* Signifies new products.

A

Accelerometers:
and accessories*, Sept., p. 602
miniature*, Nov., p. 724
Actuator:
linkage*, April, p. 225
replacement*, April, p. 225
rotary, part-turn*, Dec., p. 814
Actuators*, June, p. 400
Actuators:
lever*, Mar., p. 142
light-dry*, Mar., p. 154
pneumatic*, April, p. 228
Adaptor, multi-range*, April, p. 215
Adder, binary/B.C.D.*, April, p. 216
Al-Shamma, K.A.: *see* Ferguson, T.B.
Alarm, tank overfill*, July, p. 461
Alarms:
mains failure*, Aug., p. 526
set point*, Nov., p. 734
America Shows its Flow Automation and Process Control Technology to British Industry, Dec., p. 832
Amplifier:
bridge, portable*, Sept., p. 593
carrier measuring*, July, p. 464
d.c.*, Aug., p. 525
differential*, July, p. 458
electrometer*, Jan., p. 20; Nov., p. 727
instrumentation*, Mar., p. 159
logarithmic*, June, p. 400
operational*, Aug., p. 519
operational, chopper-stabilized*, Jan., p. 26
piezo*, Aug., p. 528
signal isolation*, Nov., p. 723
wideband*, Oct., p. 670; Dec., p. 805
Amplifiers:
data*, Mar., p. 140
low-power*, June, p. 379
Analyser:
gas, infra-red*, Sept., p. 596
logic circuit*, Feb., p. 76
oxygen*, Sept., p. 599
probability*, Mar., p. 156
water vapour*, Jan., p. 13; Feb., p. 75
Analysers, water in powder*, Feb., p. 80
Anderson, J. S.: Optimal Controller Adjustment, Sept., p. 609
Annunciator:
modular, fluidic*, Feb., p. 86
verbal*, Mar., p. 156
Annunciators, single point*, Mar., p. 140
Application of Network Theory and The Principle of Duality to Transducers, Janos Korn and F. J. Evans, Feb., p. 99
Application of Strain Gauge Transducers to Electrohydraulic Test Systems, B. C. Fisher, April, p. 244
Ardley, A. A. and Cane, C. S.: The Place of Instrumentation and Control in the Marine Industry—Part 1, April, p. 249; Part 2, May, p. 331
Argus 600 Computer/Controller, The, Feb., p. 116
Arrays:
amplifier, transconductance*, Feb., p. 87
photodiode, linear*, Oct., p. 672
Assembly kit, rotary switch*, July, p. 462
Atmosphere Monitoring by means of a Zirconia Solid Electrolyte Galvanic Cell, R. G. H. Record, Mar., p. 161
Automatic Control for Industrial Processes, D. Hocking, July, p. 485
Automatic Control of the Alfreton Creamery, Mar., p. 176
Automation package, total*, Oct., p. 674
Avometers*, Mar., p. 159

B

Baglan Bay Computer Control System, The, J. L. Edwards, Aug., p. 541
Banks, Fluidic-logic*, June, p. 399
Basic Theory of Millisecond Response Thermocouples, Oct., p. 687
Beam, piezo-resistive, miniature*, Oct., p. 671
Beer Production Runs Smooth at Ansells Brewhouse, Albert Burton, Dec., p. 815
Bonder, thermocompression*, Aug., p. 519
Book Reviews, Feb., p. 113, 119; Mar., p. 181; April, p. 248, 251, 256; May, p. 330, 333; June, p. 420, 423; July, p. 492, 494; Sept., p. 618; Oct., p. 683, 686, 691; Nov., p. 767; Dec., p. 831
Braking unit, injection, d.c.*, April, p. 221
Bramwell, S. E. and Carr-Brion, K. G.: Industrial Application of Lithium Drifted X-ray Detectors, May, p. 324
Brauning, H.: Combining Compactness and Operational Versatility in Panel-mounted Controllers, Mar., p. 178
Bridge, conductivity, portable*, Aug., p. 525
Brown, G. G.: Pneumatics *versus* Electrics in Process Control, Nov., p. 764
Brown, Gordon: Feedforward Control, April, p. 239
Burton, Albert: Beer production Runs Smooth at Ansells Brewhouse, Dec., p. 815

C

Calibrator:
millivolt, d.c.*, April, p. 230
vibration pick-up*, June, p. 382
Cane, C. S.: *see* Ardley, A. A.
Capacitors, electrolytic*, Jan., p. 25
Carne, C. M.: *see* Sharp, J. A.
Carr-Brion, K. G.: *see* Bramwell, S. E.
Cases, instrument*, Feb., p. 83
Cells, photoconductive*, Nov., p. 724
Ceramocouple, tube-skin*, Feb., p. 79
Chart drive, remote*, June, p. 383
Chart Recording Aids Pollution Control, Dec., p. 817
Check system, pressure*, Oct., p. 655
Circuit breaker*, Dec., p. 806
Circuit breakers, miniature*, Feb., p. 87
Clarke, S. L. H.: Control and Automation Research at GEC Hirst Research Centre, Aug., p. 563
Clip, logic*, Sept., p. 584
Combining Compactness and Operational Versatility in Panel-mounted Controllers, H. Brauning, Mar., p. 178
Comfort, J. V.: *see* Fisher, B. C.
Commentary, Jan., p. 3; Feb., p. 71; Mar., p. 135; April, p. 211; May, p. 279; June, p. 375; July, p. 447; Aug., p. 515; Sept., p. 579; Oct., p. 651; Nov., p. 719; Dec., p. 791
Comparator, surface finish*, April, p. 230
Components, pneumatic*, Mar., p. 140
Computer—auto-manual stations*, Aug., p. 517
Computer:
digital*, Aug., p. 529
small low-cost*, Sept., p. 588
Computer System to Control Motorway Signals, Mar., p. 175
Computers, process*, April, p. 216
Conditioners, power, a.c.*, Oct., p. 660
Conditioning system, gauge, strain*, Oct., p. 674
Constantoulakis, George: Derby-Nyla—A Copy-book Automation Exercise, Jan., p. 44
Contactor, low volt*, Aug., p. 537
Contactors, metric block*, April, p. 226
Contacts, annunciator*, Aug., p. 533
Control and Automation Research at GEC Hirst Research Centre, S. L. H. Clarke, Aug., p. 563
Control and data handling system*, July, p. 470
Control circuits, pneumatic*, Sept., p. 596
Control of a Paper Machine Using an Analogue Computer, J. A. Sharp and A. R. Farmer, Jan., p. 31
Control of Schwedt Petrochemical Complex, Mar., p. 168
Control system:
level*, Feb., p. 83
temperature*, June, p. 379
Control systems, level*, Feb., p. 80
Control/telemetry equipment, remote*, Sept., p. 595
Control unit*, Nov., p. 734

Control unit:
contactless edge*, Feb., p. 88
counter, pneumatic*, Oct., p. 660
fluidic programme*, Jan., p. 7
sequence*, June, p. 389
Control units and relays, signal, temperature to pressure*, Jan., p. 7
Controller:
digital*, Jan., p. 17
digital, unipulser*, Feb., p. 76
flow*, June, p. 391
indicating*, Mar., p. 156
industrial batch*, Aug., p. 519
level*, July, p. 470; Sept., p. 596; Nov., p. 733
level, liquid*, July, p. 469
level, module*, Oct., p. 672
level, single*, Sept., p. 594
power*, Aug., p. 523; Nov., p. 744
power, s.c.r.*, Dec., p. 795
process*, April, p. 233; Aug., p. 534; Oct., p. 665
process, digital*, July, p. 468
programme*, Feb., p. 88
programme card*, Oct., p. 653
small*, July, p. 462
speed*, Oct., p. 674
step*, Oct., p. 671
stepping, programmable*, Feb., p. 75
synchronous*, June, p. 391
temperature*, Feb., p. 85; June, p. 400; Aug., p. 522; Sept., p. 584, 602; Oct., p. 656
Controllers:
preset*, Jan., p. 15
temperature*, Jan., p. 25; Mar., p. 142; July, p. 452
thyristorized*, June, p. 394
Controls:
flame failure*, Feb., p. 75
photo-electric*, April, p. 233
voltage, variable*, Mar., p. 145
Converter/isolator*, Dec., p. 796
Converter:
analogue-to-digital*, Mar., p. 142
both ways*, Jan., p. 25
code, display unit*, Feb., p. 85
frequency, static*, June, p. 384
units*, Nov., p. 738
Counter/timer, digital*, Feb., p. 80
Counter:
automatic, h.f.*, Jan., p. 10
bi-directional*, Aug., p. 529
decade, single*, April, p. 220
digital readout*, Jan., p. 13
piece-parts, automatic*, Sept., p. 584
predetermining*, Aug., p. 528
50MHz*, Oct., p. 665
Counters:
digital*, June, p. 379
electronic*, Dec., p. 803
frequency*, Dec., p. 805
Coupling*, June, p. 386
Couplings, fluid*, Jan., p. 17
Cushions, packaging*, Jan., p. 22
Cylinders, air*, Aug., p. 530

D

D.C. Motor as a d.d.c. Actuator, The, Elod Hollo and Janos Gertler, July, p. 482
Data capture unit*, Nov., p. 737
Data logger, auto-ranging*, Mar., p. 146
Data logging:
computer controlled*, Aug., p. 528
system*, April, p. 225
system, cassette*, Oct., p. 662
Data selector, four-channel*, June, p. 388
Davis, P. F. and Holt, A. D.: A High Speed Non-impact Computer Output Printing Machine, Feb., p. 95
Decoder*, Sept., p. 593
Decoder and display unit, logic*, Dec., p. 812
Decoder drivers*, Jan., p. 22
Delay units, time*, Mar., p. 145
Densimeter*, Nov., p. 744
Derby-Nylar—A Copy-book Automation Exercise, George Constantoulakis, Jan., p. 44
Design kit, fluid-logic*, June, p. 389
Detection system, fluidic object*, Feb., p. 79
Detector:
flaw, modular ultrasonic*, Aug., p. 529
flow, solid*, Mar., p. 159
infra-red*, Nov., p. 737
leak, ultrasonic*, Aug., p. 537
proximity, intrinsically safe*, Nov., p. 737
streaming current*, Jan., p. 22
Detectors:
colour*, Mar., p. 154
limit*, Dec., p. 812
proximity*, Oct., p. 658
Dial:
digital*, July, p. 454
turns-counting*, June, p. 388
Digital Voltmeters—Principles of Interference Rejection, A. J. Gumbrecht, Part 1, May, p. 334; Part 2, June, p. 413
Digitizer, torque, low*, Nov., p. 730
Diode:
light emitting*, Nov., p. 742
switching*, Aug., p. 530
Direct Computer Positioning, Janos Gertler, April, p. 246
Divider, v.h.f.*, July, p. 469
Driver units, thyristor*, Feb., p. 86
Drum store, magnetic*, Mar., p. 149

E

Earley, B.: A Test Set for Moving Coil Temperature Indicator / Controllers, May, p. 317
Economics and the Technologist, Part 4—Project Evaluation (continued), Jan., p. 41; Part 5—Economics of Automation—The Crystal Ball, Feb., p. 107
Edwards, J. L.: The Baglan Bay Computer Control System, Aug., p. 541
Electropaint bath control*, April, p. 221
Encoder:
digital shaft*, Dec., p. 801
hybrid*, Nov., p. 724
Encoders:
incremental*, April, p. 218
shaft*, Feb., p. 90
Evans, F. J.: *see* Korn, Janos

F

Farmer, A. R.: *see* Sharp, J. A.
Feedforward Control, Gordon Brown, April, p. 239
Ferguson, T. B. and Al-Shamma, K. A.: The Wedge Pitot-Static Yawmeter, Sept., p. 626
Ferrite Logic for Safety Shutdown Systems, J. A. Sharp and C. M. Carne, Aug., p. 548
Filter, compressed air*, Dec., p. 798
Filters, yig, multi-octave*, Mar., p. 154
Fischbacher, Ron: ISA Conference and Exhibition, 1969: Some Impressions, Jan., p. 49
Fisher, B. C.: Application of Strain Gauge Transducers to Electrohydraulic Test Systems, April, p. 244
Fisher, B. C. and Comfort, J. V.: The Fundamentals of Electrohydraulic Servo-controlled Fatigue Test Rig Design, Part 1, June, p. 405; Part 2, July, p. 475
Flow analysis and scanner system*, Sept., p. 590
Flow sensor, hot tapping*, Jan., p. 7
Flowmeter*, July, p. 458
Flowmeter, digital output*, Nov., p. 736
Fluidics, moving part*, Sept., p. 581
Fluidlog Challenges Fluidics, Sept., p. 619
Foster, M.: Scannareed—A New Approach to Rotary Scanners, Mar., p. 170
Fraade, D. J.: *see* Tayyabkhan, M. T.
Fundamentals of Electrohydraulic Servo-controlled Fatigue Test Rig Design, The, B. C. Fisher and J. V. Comfort, Part 1, June, p. 405; Part 2, July, p. 475
Further Aspects of the Direct Analogue Technique for Distribution Network Analysis, R. W. Williams, June, 410

G

GEC Electrical Projects Get BSC's £7.5M Anchor Project Electrical Drives and Computer Control Scheme, Sept., p. 624
Gall, C. A.: A New Concept in Automatic Process Control Valves, Sept., p. 622
Gauge:
backscatter*, Sept., p. 603
coating thickness*, July, p. 462
compression*, Nov., p. 742
filter loss*, Aug., p. 520
pressure*, June, p. 380
pressure, diaphragm*, Oct., p. 660
safety*, July, p. 458
spring deflexion*, Jan., p. 20
tank level uses r.f. probe*, Aug., p. 520
thickness*, Nov., p. 736
Gauges:
strain, for plastics*, Aug., p. 533
strain, temperature compensated*, Aug., p. 522
Gauging head*, July, p. 461
Gauging head, electronic*, Oct., p. 670
Gauging system, tank*, June, p. 400
Generator:
function*, June, p. 382
impulse, pneumatic*, April, p. 223
pulse*, Mar., p. 142
sweep*, June, p. 394
time scale*, Sept., p. 588
Generators, pulse*, Dec., p. 000
Gertler, Janos: Direct Computer Positioning, April, p. 246
Gertler, Janos: *see* Hollo, Elod
Green, A. E.: Safety Assessment of Automatic and Manual Protective Systems for Reactors, Feb., p. 109
Gumbrecht, A. J.: Digital Voltmeters—Principles of Interference Rejection, Part 1, May, p. 334; Part 2, June, p. 413

H

Handler, tape*, Nov., p. 733
Heating source, infra-red*, Sept., p. 603
Height measurement, melted glass*, Nov., p. 731
High Speed Non-impact Computer Output Printing Machine, A, P. F. Davis and A. D. Holt, Feb., p. 95
Hocking, D.: Automatic Control For Industrial Processes, July, p. 485
Hollo, Elod and Gertler, Janos: The d.c. Motor as a d.d.c. Actuator, July, p. 482
Holt, A. D.: *see* Davis, P. F.

I

I.E.A. Exhibition Preview, May, p. 281
ISA Conference and Exhibition, 1969: Some Impressions, Ron Fischbacher, Jan., p. 49
Indicator/controller*, June, p. 389
Indicator/controller, analytical*, Jan., p. 7
Indicator:
elapsed time*, Nov., p. 740
flow rate*, Jan., p. 15
flow rate, with digital readout*, Oct., p. 659
fluorescent*, Oct., p. 672
process, digital*, Dec., p. 805
surface temperature*, July, p. 468
temperature, digital*, Sept., p. 606
transducer*, Sept., p. 587
valve operation*, Sept., p. 586
vibration*, April, p. 223
visual, pneumatic*, Oct., p. 659
Indicators:
ribbon, pneumatic*, April, p. 216
servo*, Aug., p. 534
Industrial Application of Lithium Drifted X-ray Detectors, S. E. Bramwell and K. G. Carr-Brion, May, p. 324
Instrumentation and Control at the Teesport Refinery, July, p. 495
Instrumentation of an Injection Moulding Machine, Nov., p. 754
Instrumentation range, h.f.*, Jan., p. 10
Instrumentation system, modular*, Nov., p. 731
Insulating pad*, Mar., p. 145
Integrators, d.c.*, April, p. 228
Interfacing devices*, June, p. 392
Inverter*, Oct., p. 671
Is There Any Future in Computers? R. J. Redding, July, p. 480
Isotope Gauging Techniques in Industrial Process Control, E. Kowalski, Oct., p. 679

K

Korn, Janos and Evans, F. J.: Application of Network Theory and The Principle of Duality to Transducers, Feb., p. 99
Korn, J. and Simpson, K.: Theory and Experiments for Teaching Measurement, Part 1, Oct., p. 692; Part 2, Nov., p. 756; Part 3, Dec., p. 821
Kowalski, E.: Isotope Gauging Techniques in Industrial Process Control, Oct., p. 679

L

Lamps:
indicator*, Oct., p. 667
indicator, solid-state*, July, p. 462
indicator, sub-miniature*, June, p. 390
Leakmeter*, Sept., p. 583
Light beam array*, Nov., p. 740
Light:
indicator, panel*, Aug., p. 536
pilot, 2-lamp*, Mar., p. 145
Load cells and transducers*, July, p. 465
Load Cells, transducer*, June, p. 400
Logic gate, adaptive*, Oct., p. 672
Logic, mosaic, low-cost*, Jan., p. 22
Logic tester, June, p. 399
Low frequency Correlator with Continuously Variable Delay, A, M. Rae, Dec., p. 828

M

Machine minder, automatic*, Mar., p. 146
Mahdi, A. A. and McPherson, M. J.: Neo-transistorized Vane Anemometer, July, p. 490
Manometer, capacitance*, Feb., p. 83
Marking the Preferred Direction on Disc and Ring Shaped Permanent Magnets, Malcolm McCaig, July, p. 493
Masks, programming*, Nov., p. 741
Mass Spectrum Data Acquisition System, Aug., p. 561
Maylor, R. J.: A Unique Approach to Data Acquisition in the '70s, May, p. 311
Measurement equipment, level*, Oct., p. 655
Measurement, temperature*, Dec., p. 800
Measuring instruments, roundness*, Sept., p. 604
Measuring system, dual scale optical*, Sept., p. 598
Meter:
acceleration*, Aug., p. 533
clamp, Avo*, April, p. 220
displacement, positive*, Nov., p. 744
force, digital*, April, p. 216
frequency/period*, Mar., p. 156
level, sound*, Oct., p. 674
noise, intrinsically safe*, Mar., p. 159
panel, digital*, Jan., p. 25; Oct., p. 666
pH*, Mar., p. 154
smoke alarm/indicating*, Mar., p. 159
torque*, April, p. 230
Meters:
panel, digital*, Nov., p. 723
watt*, June, p. 394
Microswitch:
electronic*, Sept., p. 586
temperature, high*, Oct., p. 666
Microvoltmeter, d.c.*, June, p. 392
Miniature Scientific and Industrial Tape Recorder, Dec., p. 830
Module:
power supply*, Oct., p. 656
range, analogue*, April, p. 213
sine/cosine*, Feb., p. 83
time-interval*, April, p. 215
Modules:
automatic control, transistorized*, June, p. 389
data transmission*, June, p. 383
digital display*, Dec., p. 814
photocell lamp*, Jan., p. 15
solid-state*, Feb., p. 86
time sharing, miniature*, Nov., p. 723
Monitor:
frequency*, April, p. 218
signal averaging*, Aug., p. 525
vibration*, June, p. 379
vibration, industrial*, Sept., p. 590
Monitors:
process, digital*, Oct., p. 656
width constancy*, Feb., p. 80
Motor:
actuator*, Sept., p. 588
fluid, industrial*, Oct., p. 669
step-servo, low inertia*, Oct., p. 655
synchronous*, July, p. 466
torque*, Nov., p. 741
Motors:
fluid, high torque*, Aug., p. 520
stepper*, July, p. 451
stepping*, Dec., p. 796
synchronous*, Dec., p. 795
torque*, Dec., p. 812
Multimeter:
digital*, July, p. 451
electronic*, Mar., p. 156
3-digit*, April, p. 226
Multimeters, portable*, April, p. 215
Multi-thermocouple systems*, Nov., p. 728

Mc

McCaig, Malcolm: Marking the Preferred Direction on Disc and Ring Shaped Permanent Magnets, July, p. 493
McKay, E. M.: Pulse Rate Analyser for Studying Water Demand Probabilities, Nov., p. 749
McMillan, J.: Quantitative Control System Design: Present Position and Future Development, June, p. 421
McPherson, M. J.: *see* Mahdi, A. A.

N

Neo-transistorized Vane Anemometer, A. A. Mahdi and M. J. McPherson, July, p. 490
New Concept in Automatic Process Control Valves, A, C. A. Gall, Sept., p. 622
New literature, Jan., p. 29; Feb., p. 93; Mar., p. 183; April, p. 237; May, p. 309; June, p. 403; July, p. 473; Aug., p. 539; Sept., p. 607; Oct., p. 677; Nov., p. 745; Dec., p. 838
New products, Jan., p. 5; Feb., p. 73; Mar., p. 137; April, p. 213; June, p. 377; July, p. 449; Aug., p. 517; Sept., p. 581; Oct., p. 653; Nov., p. 721; Dec., p. 793
Newland, D. E.: A Simplified Method for Plotting Frequency Response Data in Polar Form, June, p. 424
News of the industry, Jan., p. 60; Feb., p. 125; Mar., p. 196; April, p. 266; May p. 356; June, p. 435; July, p. 505; Aug., p. 570; Sept., p. 640; Oct., p. 208; Nov., p. 781; Dec., p. 843
Nemerical Positioning—A simple Solution, Alan J. Webb, Mar., p. 172
Numicator, inverted*, Oct., p. 665

O

Operator, valve, ultra-sensitive*, Feb., p. 79
Optimal Controller Adjustment, J. S. Anderson, Sept., p. 609
Optoreceiver*, July, p. 461
Oscilloscope:
dual channel*, Jan., p. 22
printing, direct*, June, p. 380

P

Panels:
annunciator*, Dec., p. 799
illuminated*, July, p. 451
Place of Instrumentation and Control in the Marine Industry, The, A. A. Ardley and C. S. Cane, Part 1, April, p. 249; Part 2, May, p. 331
Plant warning and protection system*, Sept., p. 583
Plugboard system, miniature*, July, p. 452
Pneumatic versus Electrics in Process Control, G. G. Brown, Nov., p. 764
Positioner, pneumatic*, Dec., p. 796
Positioning system*, July, p. 454
Potentiometer:
displacement sensing*, Dec., p. 798
rotary*, June, p. 390
10-turn*, April, p. 223; Dec., p. 812
Potentiometers:
plastic conductive*, April, p. 216
rectilinear*, Feb., p. 75
Power supplies:
digital readout*, Mar., p. 139
sub-miniature*, Aug., p. 534
Power supply and signal conditioning unit*, Sept., p. 583
Power supply:
high-voltage*, Mar., p. 154
miniature*, Mar., p. 152
range*, June, p. 392
Preamplifier, differential*, Mar., p. 152
Pressure regulator, air-loaded*, Dec., p. 796
Printer:
digital*, Dec., p. 810
digital input*, Aug., p. 536
digital, programmable*, Aug., p. 529
line*, April, p. 233
Probe:
coaxial*, Mar., p. 139
logic*, Oct., p. 660; Nov., p. 727
oxygen, dissolved*, Mar., p. 149
oxygen, for molten steel*, April, p. 225
temperature sensor*, Dec., p. 800
Programme board, miniature*, Jan., p. 25
Programmer:
analogue*, July, p. 470
constant-cycle*, Dec., p. 812
digital*, July, p. 470
drum*, Dec., p. 812
slide and switch*, Feb., p. 76
Proportioner, additive*, July, p. 451
Protection unit:
line*, Nov., p. 727
pump, electronic*, Jan., p. 20
Pulse generator, master controller*, Jan., p. 17
Pulse Rate Analyser for Studying Water Demand Probabilities, E. M. McKay, Nov., p. 749
Pulse shaper*, Dec., p. 810
Pulse source, interval*, June, p. 394
Pump, hand, dry air*, Oct., p. 658
Punch, manual*, Aug., p. 523
Push-buttons, metric*, Sept., p. 603

Q

Quantitive Control System Design: Present Positiion and Future Development, J. McMillan, June, p. 421

R

Rae, M.: A Low Frequency Correlator with Continuously Variable Delay, Dec., p. 828
Ratiometer, tacho, multi-channel*, Aug., p. 530
Reader:
journal roll, high-speed*, Jan., p. 20
tape*, July, p. 464
Readers, optical character*, Dec., p. 807
Readout, fibre optic*, Sept., p. 587; Nov., p. 740
Receiver, radiation, heat*, Sept., p. 583
Record, R. G. H.: Atmosphere Monitoring by means of a Zirconia Solid Electrolyte Galvanic Cell, Mar., p. 161
Recorder:
chart, four channel*, Aug., p. 519
chart, six channel*, April, p. 226
d.c.*, Mar., p. 139
digital*, Sept., p. 583
dual channel*, Feb., p. 87
dual trace*, Feb., p. 79
for use with unprepared paper*, Jan., p. 13
multi-channel*, Mar., p. 149
multi-point, fast*, Feb., p. 73
single channel*, April, p. 234
temperature, cold storage*, Mar., p. 145
time and event*, July, p. 470
transient, 8-channel*, April, p. 234
three pen*, Aug., p. 534
two pen*, Jan., p. 10
u.v.*, April, p. 220
volume*, Sept., p. 596
Recorders*, Sept., p. 606
Recorders, chart*, Jan., p. 26
Redding, R. J.: Is there Any Future in Computers? July, p. 480
Reeve, G. R.: The Uses of Ultrasonics in Industry Today, April, p. 252
Regulator, temperature*, July, p. 460
Relay:
in-line, dual*, Oct., p. 669
meter*, April, p. 223
mini-power*, June, p. 384
reed, mercury wetted*, Nov., p. 731
sealed-contact*, Aug., p. 528
sequencing, impulse*, Nov., p. 724
switching, miniature*, Nov., p. 744
time delay, pneumatic*, April, p. 233
timing, pneumatic*, July, p. 451
Relays:
contactor, metric*, July, p. 464
mercury*, Dec., p. 795
meter, contactless*, Oct., p. 666
photocell, opto-electronic*, Jan., p. 17
power*, Aug., p. 526
printed circuit*, Mar., p. 146
reed, encapsulated*, Nov., p. 734
reed, miniature*, April, p. 228
Resistance box, 6-decade*, Mar., p. 149
Resolver, multi-speed*, April, p. 221
Review of the 1970 I.E.A. Exhibitiion, A, July, p. 498
Ruxton-Davies, W. D. T.: Some Practical Techniques for Calculating Frequency Response from Impulse Response, Part 1, Aug., p. 551; Part 2, Sept., p. 615; Part 3, Oct., p. 684

S

Safety Assessment of Automatic and Manual Protective Systems for Reactors, A. E. Green, Feb., p. 109
Scannereed—A New Approach to Rotary Scanners, M. Foster, Mar., p. 170
Sealectroboard, pluggable*, Mar., p. 152
Selector:
high signal*, Dec., p. 799
low signal*, Dec., p. 799
Sensor:
proximity*, Feb., p. 76
temperature*, April, p. 218
Sensors:
light, solid-state*, April, p. 234
proximity, non-contact*, Oct., p. 668
temperature*, July, p. 466
Servo system aligning*, July, p. 457
Sharp, J. A. and Carne, C. M.: Ferrite Logic for Safety Shutdown Systems, Aug., p. 548
Sharp, J. A. and Farmer, A. R.: Control of a Paper Machine Using an Analogue Computer, Jan., p. 31
Shift registers*, April, p. 234
Simplified Method for Plotting Frequency Response Data in Polar Form, A, D. E. Newland, June, p. 424
Simpson, K.: *see* Korn, J.
SIRA Conference, Grand Hotel, Eastbourne, The, Aug., p. 550
Slide rule, flow calculations*, Aug., p. 534
Slide-switch range, miniature*, Nov., p. 724
Solenoids*, Aug., p. 519
Some Practical Techniques for Calculating Frequency Response from Impulse Response, W. D. T. Ruxton-Davies, Part 1, Aug., p. 551; Part 2, Sept., p. 615; Part 3, Oct., p. 684
Stop unit, emergency*, Oct., p. 670
Stroboscope*, July, p. 454
Switch and sensing head, proximity*, Dec., p. 814
Switch:
control locking*, April, p. 230
floatless*, Oct., p. 667
fluidic/electric*, Feb., p. 76
lever*, Feb., p. 83
Lever, flat*, June, p. 384
light activated*, Oct., p. 672
liquid level*, July, p. 455
pressure*, Oct., p. 656
pressure, miniature*, Aug., p. 536
pressure, panel mounting*, April, p. 218
proximity*, July, p. 449, 452
push-button*, Mar., p. 140; Sept., p. 583
range, miniature*, April, p. 215
thermal*, Dec., p. 803
Switches:
analogue*, Feb., p. 80
coaxial*, Nov., p. 744
liquid level*, Mar., p. 152
proximity*, April, p. 233; Dec., p. 806
push-button*, June, p. 400; Oct., p. 655; Dec., p. 795
temperature*, Sept., p. 595
thumbwheel*, Oct., p. 668
Switching, solid-state*, Mar., p. 137
Switching unit, multiple*, Feb., p. 88
Synthesizer, frequency, h.f.*, Jan., p. 10
Systems Contractor—valuable professional or unnecessary middle man?, The, M. T. Tayyabkhan, C. E. Watson and D. J. Fraade, Jan., p. 35

T

Tachometer:
electric*, Jan., p. 5
photo*, Jan., p. 26; Dec., p. 000
pocket*, Sept., p. 588

Tachometers:
differential*, July, p. 462
hazardous area*, Oct., p. 656
Tayyabkhan, M. T., Watson, C. E. and Fraade, D. J.: The Systems Contractor—valuable professional or unnecessary middle man?, Jan., p. 35
Technology Applied, Jan., p. 53; Feb., p. 120; Mar., p. 184; April, p. 258; May, p. 341; June, p. 427; July, p. 502; Aug., p. 565; Sept., p. 632; Oct., p. 703; Nov., p. 769; Dec., p. 839
Telemetry system, f.m.*, Jan., p. 8
Teleprinter system, mobile*, Nov., p. 721
Temperature measurement, contactless*, Nov., p. 723
Terminating systems, wire*, June, p. 398
Test equipment, automatic*, June, 380
Test Set for Moving Coil Temperature Indicator/Controllers, A, B. Earley, May, p. 317
Test system, automatic*, April, p. 218
Tester, continuity, printed circuit*, April, p. 234
Testing equipment*, Aug., p. 523
Theory and Experiments for Teaching Measurements, J. Korn and K. Simpson, Part 1, Oct., p. 692; Part 2, Nov., p. 756; Part 3, Dec., p. 821
Thermocouple, miniature*, July, p. 451
Thermograph, waterproof*, Jan., p. 15
Thermometer:
dial*, Feb., p. 79
electronic, wide range*, Jan., p. 8
infra-red, portable*, Feb., p. 87
Thermoprobe, infra-red*, Dec., p. 793
Thermostat:
industrial*, June, p. 379
ventilation airduct*, April, p. 226
Three-point Controllers Regulate Power/Heat Generating System at German Foundry, Feb., p. 114
Time marker*, Mar., p. 145
Timer/scaler*, June, p. 379
Timer:
drum*, Mar., p. 146
interval*, Jan., p. 15
miniature motor*, Dec., p. 805
miniature plug-in*, Dec., p. 810
process*, Sept., p. 594
process, digitally set*, Jan., p. 13
self-homing*, July, p. 465
solid-state*, Feb., p. 86; July, p. 469
Timers:
dial*, Dec., p. 807
electronic*, Sept., p. 604
process*, June, p. 398
transistorized*, Jan., p. 8
Totalizer unit*, Nov., p. 730
Transducer:
digital output*, Nov., p. 733
liquid level*, Feb., p. 90
long-stroke*, April, p. 230
pressure*, July, p. 462; Oct., p. 662
pressure, miniature*, Nov., p. 744
range, high linearity*, Aug., p. 536
readout unit*, July, p. 457
strain gauge*, June, p. 386
system, air velocity*, Dec., p. 805
torque, inductive*, June, p. 382
Transducers:
diaphragm*, July, p. 468
displacement*, Dec., p. 803
inclinometer*, Jan., p. 20
inductive*, Mar., p. 139
miniature*, April, p. 220
pressure*, June, p. 388
torque*, Nov., p. 728
Transformers, low-cost*, Mar., p. 142
Transmitter:
flow rate*, Sept., p. 587
liquid level*, July, p. 461
pressure, pneumatic gauge*, Nov., p. 737
speed, linear*, April, p. 216
temperature/millivolt*, Aug., p. 520
thermocouple*, Dec., p. 801
Transmitters:
electronic*, Oct., p. 662
pressure*, Feb., p. 90
pressure, differential*, April, p. 221
pressure, electronic*, Jan., p. 10
turbine flow*, Jan., p. 25
Trimmer, miniature wirewound*, Mar., p. 152
Trimming bridge, automatic resistor*, Dec., p. 810
Trip unit, pneumatic*, June, p. 392
Tube fittings kit*, Mar., p. 156

U

Unique Approach to Data Acquisition in the '70s, A, R. J. Maylor, May, p. 311
Universal bridge*, Mar., p. 139
Uses of Ultrasonics in Industry Today, The, G. R. Reeve, April, p. 252

V

Valve:
control, gas pressure*, July, p. 460
flow control, hydraulic*, Jan., p. 26
fluid control*, Mar., p. 149
low pressure*, Mar., p. 146
manifold, miniature*, July, p. 455
mixing, diaphragm*, Feb., p. 90
needle, fine control*, Nov., p. 742
operating heads*, July, p. 452
poppet, solenoid*, Dec., p. 803
range*, July, p. 468
Valves:
butterfly*, June, p. 380
check*, Dec., p. 807
control, directional*, Aug., p. 534
high-pressure*, Feb., p. 85
pilot, miniature*, July, p. 462
relief, safety*, Sept., p. 598
solenoid*, Nov., p. 738
spool, miniature*, Sept., p. 584
stop*, Mar., p. 139
Veritrak Differential Pressure Transmitter, Aug., p. 558
Voltage calibrators, a.c.*, Feb., p. 86
Voltmeter:
digital*, June, p. 380; Dec., p. 798, 814
digital, h.f.*, Jan., p. 10
digital, r.m.s.*, Oct., p. 672
digital, auto-range*, April, p. 226
digital, printing*, Nov., p. 733
memory, dual-readout*, April, p. 228
Voltmeters, digital*, Dec., p. 795

W

Waiter, There's a Computer in my Soup!, Oct., p. 699
Watson, C. E.: *see* Tayyabkhan, M. T.
Webb, Alan J.: Numerical Positioning—A Simple Solution, Mar., p. 172
Wedge Pitot-Static Yawmeter, The, T. B. Ferguson and K. A. Al-Shamma, Sept., p. 626
Weigh cell*, Oct., p. 656
Weighing for your life*, Nov., p. 724
Williams, R. W.: Further Aspects of the Direct Analogue Technique for Distribution Network Analysis, June, p. 410

25 Years of Continual Change, Nov., p. 747

Printed in Great Britain by Herald Printers, York and London—73731